Release Notes for ExtraView 11.2

Date: Sep 5, 2017

ExtraView 11.2 Release Notes Feature Enhancements

Issue #	Title	Release Note
349107	Autosizing of HTML Area fields	When entering multiple lines of text into an HTML Area field, the height of the field will grow automatically, to allow the user to work with their text more conve niently.
347066	Inline image and embedded document processing	This is a major new feature which enables embedding images and document files directly into HTML Area fields, and into Log Area fields which are configured to display HTML.
		Users can use drag & drop and copy & paste to include inline images and to embed files directly inline into these fields. Issues submitted to ExtraView via EVMail also support the inclusion of embedded images.

Module: Administration		
Issue #	Title	Release Note
348582	The * Remove Select All * layout cell attribute may now be added as a global data dictionary attribute	This enhancement allows the administrator to prevent users from select all the values in a multi-valued list as filters in a query. The values need to be selected individually.
348241	Added the display target to the "Where Used" popup in the data dictionary	Previously it was difficult to separate the desktop display target from the mobile display targets. The display target is now displayed within the layout details.
345914	Read Only If Attribute at the Sub Layout Level	There is a new layout cell attribute, which may be applied to embedded layouts on add and edit screens. This attribute, READONLY IF, allows an entire embedded layout to be made read-only based on the value of another field in the layout.
		Count: 3 rows

Module: Attachments		
Issue #	Title	Release Note
340560	Implemented a delete button next to the "Add" button to allow multiple attach ments to be selected and deleted simultaneously	This is a minor enhancement which makes it simpler to delete many attachments within an issue, at one time
		Count: 1 rows

Module: BatchMail		
Issue #	Title	Release Note

ExtraView 11.2 Release Notes

Feature Enhancements

N_PRIORITY can be se email has its high priori field.	embedded images and embedded documents within have started to add really large images and documents some cases these exceed the limit imposed by the email r setting named EMAIL_MAX_SIZE_MB has been ult size of 8 MB. This value can be modified to match the . When the limit is exceeded ExtraView removes all the user is required to sign onto ExtraView from the email ed objects.
	EVMail, the new property named NOTIFICATIO et to the value of a checkbox field. When an incoming ty flag set in its header, the checkbox is set on within the fications, a new inbuilt field named NOTIFICATIO aced on the notification layout. When this is checked, the butgoing email is set so it appears within the email client

Count: 2 rows

Module: EVMail		
lssue #	Title	Release Note
345994	Enhanced processing of delimiters in email received and processed by EVMail	The EVMail utility has significant enhancements when processing incoming emails and is able to look for multiple delimiters within the email. This allows for more intelligent extraction of the "latest" text added to an email thread, so that the ExtraView issue associated with the thread is only updated with the most recent text added to the email thread.
345166	The line-spacing within the body of emails processed with EVMail that are then included within standard notifications has been improved	This particularly affected mail users who used Microsoft Outlook as their mail client. Outlook has the inexplicable behavior of removing blank lines within HTML formatted emails. When EVMail placed incoming emails into HTML Area fields (or Log Area fields using HTML), and then sent out these fields as part of the standard email notification, the loss of these blank lines led to odd looking formats. This has been improved to better display the blank lines in the way a user would expect.
345106	EVMail enhancements to choose whether to insert a new issue or update an issue	There are a number of new configuration options to have ExtraView be the arbiter of whether to insert or update issues which arrive via EV Mail. These options also provide better control over which parts of the incoming email will be stored.
333175	Removing header information from incoming mails	A new option, EVMAIL_SUPPRESS_HEADER, has been added to the EV Mail configuration. This allows the suppression of header information such as the "From:", "To:", "Send:", "Subject:" and "Date:" header information when the mail

ExtraView 11.2 Release Notes

Feature Enhancements

	is added to a field within ExtraView
	Count: 4 rows

Module: Internationalization		
Issue #	Title	Release Note
350201		Previously, only the first 100 characters of a message to be translated was displayed on the screen within the Translate System Messages and Prompts utility. The full text was displayed in a mouseover popup. This has been improved so the entire message appears, without the need for the user to see a popup when they placed their mouse over the text.
		Count: 1 rows

Module: Mass Delete		
Issue #	Title	Release Note
340403	New Mass Delete Feature	This new feature allows a user, with the appropriate permission, to delete multiple issues by selecting them on a report, then choosing to delete them. There is an option to either delete the issues their selves, or the issues and all their history.
		Count: 1 rows

Module: Search / Report		
Issue #	Title	Release Note
350787	Some HTML tags in Formatted Excel output on column reports now output to newlines within a cell as opposed to creating a new cell	Microsoft Excel has many limitations when handling HTML data as opposed to text data that is output from ExtraView. In order to attempt to keep as much data output from HTML Area fields into Excel from column reports, ExtraView now converts some HTML tags such as and <div> to new lines. This keeps the text within a single cell. It is not planned to handle all HTML tags in this way, as satisfactory output of objects such as embedded tables and images will never be possible within Excel.</div>
350558	Container and Dashboard Reports selection enhancement	To provide clarity in systems where there may be many reports with similar titles and descriptions, the list of available reports has been decorated with the Report ID, allowing the user to better differentiate between these.
349088	New option to display x-axis chart values vertically and at a slant	This new chart option for value-based charts allows the labels on the X axis to be displayed horizontally, vertically or at a 45 degree slant.

ExtraView 11.2 Release Notes Feature Enhancements

346771	Improved performance with the "Allow Additional Keyword Filters" feature	There is a significant improvement when returning results added from the keyword filter input field on reports. This field is added to the browser output of reports, when the user checks the "Allow Additional Keyword Filters" option within report editors. The improvement is most noticeable when adding multiple keywords in the input field.	
340556	Fixed position summary and matrix report headers on report output	When viewing matrix and summary reports that exceed the height of the window within which they appear in a browser, if the user scrolls vertically, the column titles are frozen in position and remain visible.	
		Count: 5 rows	

Module: XML Import and Export		
Issue #	Title	Release Note
349360	New ability to exclude specific languages from XML export	Now, language exports of all the text messages can be set to include any combi nation of languages. If *None* is chosen, only the base locale of the system is exported.
		Count: 1 rows
		Total Count: 20 rows

lssue #	Found in Release	Title	Release Note
350613	11.1.1	Improved Ajax refreshes of folds within embedded layouts	There were some configurations where embedded folds within layouts required full screen refreshes to update their contents. This has been improved so that an Ajax refresh is used, leading to increased perfor mance and to the user not losing the focus within the field with which they are working.
349535	11.0.1	Deleting a repeating row field in one repeating layout deleted values in a different repeating row layout on the same issue	The code was not getting the correct repeating row group id type for a given repeating row field. The code always used the information from the inbuilt layout named RELEASE. As a consequence, the values in the wrong repeating row were deleted.
332866	10.2	Original Project and Project(s) fields occasionally caused a popup message when these fields become read-only	The message "The value currently selected for the field was either deleted or deactivated by the administrator" was occasionally seen in the circumstances described. This has been fixed.

ssue #	Found in Release	Title	Release Note
45962	11.1	Some entries within the system log did not have the database values	The following entries in the system log were not complete and did not
		that were applied	have the values associated with the update. This has been fixed:
			ADD_USER_UDF
			DELETE_INTEREST_LIST_USER
			UPDATE_NAVIGATION_BAR
			DELETE_ESCALATION_RULE_USER
			DELETE_DATA_DICTIONARY
			DELETE_EV_TEMPLATE
			DELETE_INTEREST_LIST
			DELETE_INTEREST_LIST_ELEMENT
			DELETE_SCHEDULED_REPORT
			DELETE_NAVIGATION_BAR
			ADD_NAVIGATION_BAR
			ADD_SECURITY_PERMISSION
			DELETE_PRIVACY_GROUP
			DELETE_Q_LAYOUT

Module: Business Rules

349528 11.1.0.1 STOP Rules caused an issue with the population of parent id field This was principally a problem with user custom localized valued. However, the underlying Java	e# Foun	Release Note	Found in Release Tit	Issue #
localized valued. However, the underlying Java	23 11.0.3	ETE mistakenly deleted additional issues This was caused by a timing issue when multiple ADD operations were initiated almost immediately by the same user, and the user not waiting for the screen to finish loading before initiating the next ADD operation. This only happened on an extremely complex screen which took many seconds to load. An alert is now sent to the user if they try this operation, asking them to wait for the initial operation to complete.	11.0.3.1 The	350323
changed to use the name rather than the titles of the problem recurring.	28 11.1.0	localized valued. However, the underlying JavaScript has been changed to use the name rather than the titles of the objects to preven	11.1.0.1 ST	349528
replace all the values in the list with those current	53 11.1	Iti-valued fields Adding values to multi-valued fields with the += operator were found to replace all the values in the list with those currently selected, not add the new values to those that were pre-existing. This has been fixed.	11.1 Clo	349353

Count: 3 rows

Module: File Import (GUI)					
Issue #	Found in Release	Title	Release Note		
349020	10.2	Multi-valued repeating row fields not imported	This was a bug that was fixed		
			Count: 1 rows		

Oount. The

Module: General	Module: General code issues					
Issue #	Found in Release	Title	Release Note			
345208	11.0.1	Null exception error seen following a user session timeout	This was a minor problem which did not affect functionality, but resulted in an error being viewed on the screen. The error generated is now suppressed.			
			Count: 1 rows			

Module: Internationalization					
Issue #	Found in Release	Title	Release Note		
349141	11.1.0.1	Upgrades to a localized site reverted some translated values	This happened when messages were previously modified in the default locale. This caused the upgradeMessage utility to update the localized values in the titles without looking at the user who last updated the message. This has been modified so that only messages inserted or modified by the system can be updated in this way.		

ExtraView 11.2 Release Notes

Fixed Bugs

348623	11.1	Removed layout titles from the required field popup on add/edit screens	Within the popup that indicates that required fields are required when
			inserting or updating issues, the name of the layout was displayed.
			This information was not very useful and could sometimes be
			misleading when there were embedded layouts. Further, this field held
			text information that could not be localized into different languages.
			The decision was made to remove the reference to the layout name.
			Count: 2 rows

Count: 2 rows

Module: Mass Up	Module: Mass Update					
Issue #	Found in Release	Title	Release Note			
350579	11.1.1	screen	An error was observed when performing a mass clone operation from the mass update screen. This was traced to some malformed image and document fields in the data being cloned. This has been fixed.			
			Count: 1 rows			

Count: 1 rows

Module: Notification					
Issue #	Found in Release	Title	Release Note		
349970	11.1.1	Size and display problem with inline images within template and ad hoc emails	Not all images contained within outgoing email templates and ad hoc emails were being displayed, and the image thumbnail as opposed to the full size image was being displayed. This has been fixed.		
348120	11.0.4	Ad hoc emails sent image thumbnails as opposed to the full images	It was found that when an image field was included within an outgoing email template in the form \$\$IMAGE_FIELD\$\$, the thumbnail to the image that was used as its representation on screens was being sent as opposed to the image itself. This has been fixed so that the full image is sent.		
			Count: 2 rows		

Module: Quickedit				
Issue #	Found in Release	Title	Release Note	
348434	11.1.1	Tabbing within Quickedit reports did not use the correct tabbing order as set in the layout	Both Column and Row orders for Quickedit are now supported, as set within the layout for the Quicklist report.	
			Count: 1 rows	

Module: Quickfind

- - -

Issue #	Found in Release	Title	Release Note
347948	11.0.4		This was a problem with the uppercase "İ" character in the Turkish locale. Quickfind did not correctly search for these characters. This has been fixed.
			Count: 1 rows

Module: Report Scheduler				
Issue #	Found in Release	Title	Release Note	
349591	11.1	Scheduled Reports generated to HTML and Browser formats were not rendered correctly	The scheduled report output of HTML and browser formats lost formatting. This has been fixed.	
346170	11.0.3.3	The report owner was not saved as a recipient of the report when creating a new schedule	This has been fixed.	
			Count: 2 rows	

Module: Search / Report					
Issue #	Found in Release	Title	Release Note		
350205	11.1.1	System hung when adding a report filter to a set of saved filters	This problem was only found on a single customer site and could not be replicated anywhere else. The sequence of operations to save the filters has been altered to ensure the problem does not recur		
349865	11.1	Some existing reports were found to have performance problems after upgrading to version 11.1	This was caused by the new handling of fields with a display type of DAY. This has been reworked to improve the performance.		
349831	11.1.0.1	Null Pointer Exception when atempting to run a Container Report	This occurred when a cChart report was within the Container report. This was fixed.		
349525	11.1	Users in non-24 hour time could not run reports with date filters while in the Spanish locale	There are no traditional ante meridiem and post meridiem suffixes in Spanish, which caused a misunderstanding of how user with their personal option not set to 24-hour time would used dates in filters. This has now been fixed to work correctly.		
347012	11.0.1	Repeating Row field did not display on a report if the field was part of filter criteria	This only happened on a hierarchical report if the behavior setting FILTER_CHILD_VALUES was set to YES, the repeating row field was placed on the report and there was a repeating-row field filter used at the child level. Under these circumstances, the values of the selected repeating row at hierarchy child level were empty. This was fixed.		
			Count: 5 rows		

Module: Sign On

Issue #	Found in Release	Title	Release Note
349700	11.1	javalang.NullPointerException on attempted new user insert via SSO	The code has been fixed to prevent the problem
346591	10.2	SSO upsert and company name - updating user accounts	The logic to perform an upsert operation with SSO has been altered as follows:
			 If SSO_COMPANYNAME is configured AND it has a non-blank value in the header, it will always be used in creating/updating the user If SSO_COMPANYNAME is not configured or it has a null/blank value in the header, the app default COMPANY_NAME will be used to create/update the user The user's company name is not used to compare existing user with the request to sign on a user
			Count: 2 rows

Module: Workspace GUI						
Issue #	Found in Release	Title	Release Note			
348581	11.1		This happened when loading a workspace which had been saved with a requirement for the user to have access to a specific business area / project, but the user did not have the necessary permission. This has been fixed.			
			Count: 1 rows			

Module: XML Import and Export					
Issue #	Found in Release	Title	Release Note		
350111	11.1.1	Metadata migration imported a few users incorrectly	When the option to "Minimize the user information exported" is selected on the metadata export screen, user UDF values are now only exported if the containing user record is also exported. In addition, a user record will not be included in the "minimized" set just because a User UDF value is exported.		
348997	11.1.0.1	Behavior settings excluded from XML Migration	The behavior settings named DOCUMENT_REPOSITORY_ROOT, DOCUMENT_REPOSITORY_OPT and DOCUMENT_REPO SITORY_DMAX are no longer migrated from a source to target system during metadata migration. These settings should be different on the source and target systems and this ensures they cannot be confused.		
Count: 2 rows					

Total Count: 28 rows